




Peru: Regional Profiles

National Disaster Preparedness Baseline Assessment

Region: Callao



Region Capital: Callao
 Region Area: 149 km²

Callao is one of twenty-five Regions in Peru, and has its own regional government known as the Constitutional Province of Callao. Encompassed by the region of Lima, and surrounded by a growing metropolitan area, Callao’s population was estimated at 1,006,923 in 2015. Relative to the rest of Peru, the population of Callao has higher than average life expectancy (77.7 years) and access to improved water (95.1%), while having lower than average illiteracy (1.9%). Statistics on the percentage of the population living in poverty were not available for 2015.



Multi-Hazard Risk (MHR) ¹

Score = 0.421, Rank = 22 of 25

Of the twenty-five Regions of Peru, Callao ranks 22nd in multi-hazard risk (MHR = 0.421). Table 1 outlines the individual components that contribute to risk. As shown in the bar chart of Figure 1, Callao’s very low multi-hazard risk is a function of its high multi-hazard exposure (MHE = 0.691), countered by very low vulnerability (V = 0.234), and very high coping capacity (CC = 0.663). The ternary graph at right shows that Callao’s exposure is significantly higher than the national average, while its vulnerability and lack of coping capacity are significantly lower.




Figure 1. Components of the Multi-Hazard Risk Score compared to the national average.

¹ **Multi-Hazard Risk (MHR)**: An index that measures the likelihood of losses or disruptions to a region’s normal function due to interaction between multi-hazard exposure, socioeconomic vulnerability and coping capacity. $MHR = (MHE + V + (1-CC))/3$. Values range from 0-1.

Components of Multi-Hazard Risk (MHR) ²

Table 1. Scores and ranks for each component of the Multi-Hazard Risk Score.

Multi-Hazard Exposure (MHE)		Vulnerability (V)		Coping Capacity (CC)	
High		Very Low		Very High	
Score	Rank (of 25)	Score	Rank (of 25)	Score	Rank (of 25)
0.691	8	0.234	25	0.663	4

Multi-Hazard Exposure (MHE) ³

Score = 0.691, Rank = 8 of 25

Callao has high multi-hazard exposure relative to other Regions of Peru (MHE = 0.691). This score is a function of both Raw and Relative MHE, as shown in Figure 2. The Raw MHE Score is an index reflecting the absolute value of population exposed to multiple hazards. This score can aid in understanding the overall scale of hazard exposure. The Relative MHE Score is an index reflecting the proportion of the region’s base population exposed. This score can assist in the determination of how important hazards are, and can help prioritize disaster management activities across regions. Estimates of exposure by hazard type are summarized in Table 2.

Table 2. Estimated ambient population⁴ exposed to each hazard type.





Figure 2. Average, raw and relative Multi-Hazard Exposure Scores.

² $MHR = (MHE + V + (1-CC))/3$.

³ **Multi Hazard Exposure (MHE)**: An index based on the estimated average exposure of the population to six hazard types: tsunamis, landslides, extreme temperature, earthquakes (MMI VII and above), floods and volcanos. Average exposure considers both raw average exposure and relative average exposure as a proportion of total population. Values range from 0-1.

⁴ **Ambient Population**: 24-hour average estimate of the population; typically differs from census population.

Vulnerability (V) ⁵

Score = 0.234, Rank = 25 of 25

Callao has very low vulnerability relative to other Peruvian Regions (V = 0.234). The bar chart on the right displays the composition of its overall Vulnerability Score. As shown, vulnerability in Callao is driven primarily by population pressures, vulnerable health status and information access. The table below summarizes the individual indicators within each socio-economic theme.










Figure 3. Components of the Vulnerability Score by relative contribution.

Table 3. Indicators of vulnerability grouped by theme.

	Environmental Stress	0.3 % of total Regional area with irrigation-fed agriculture	0 % of total Regional area with severe erosion				
	Vulnerable Health Status	9.1 Infant mortality rate per 1k births	75.6 Maternal deaths per 100k births	77.7 Average life expectancy (years) at birth	ND % of children under 5 years of age that are malnourished	6.2 % of population with 1 or more disability	
	Clean Water Vulnerability	95.1 % households with access to improved water	84.4 % households with access to flush toilets				
	Information Access Vulnerability	1.9 % of population 15yrs and older that are illiterate	10.8 Average years of schooling	73.9 % primary school enrollment	41.6 % households with internet	96.9 % households with television	80.0 % households with radio
	Economic Constraints	0.45 Ratio of dependents to working age population (15-64 years)	47.58 Ratio of average monthly household expenses to income	ND % of population monetarily impoverished			
	Gender Inequality	0.50 Proportion of female representatives in local government	ND Ratio of female to male secondary enrollment	ND Ratio of female to male labor participation			

⁵ **Vulnerability (V)**: An index that measures the socioeconomic conditions associated with susceptibility to disruptions in a region's normal functions. Values range from 0-1.



Population Pressures

1.4
% Average annual population change (2010-2015)



Recent Disaster Impacts

0.4 Average annual hazard-related deaths per 10k persons (2010-2014)

<0.1 Average annual number of homes destroyed by recent hazards per 10k persons (2010-2014)

Coping Capacity (CC) ⁶

Score = 0.663, Rank = 4 of 25

Callao has a very high coping capacity relative to other Regions (CC = 0.663). The bar chart on the right displays the composition of its overall Coping Capacity Score. As shown, coping capacity in Callao is hindered primarily by its environmental capacity and governance. The table below summarizes the individual indicators within each theme.




Figure 4. Components of the Coping Capacity Score by relative contribution.

Table 4. Indicators of coping capacity grouped by theme.



Economic Capacity

\$1,494 Average monthly income (\$)

ND Gross domestic product per capita



Governance

3.85 Registered cases of sexual violence per 10k persons

0.78 Registered cases of missing persons per 10k persons

0 Average annual number of social conflicts per 10k persons (active and resolved)

7,151 # of voters per 10k persons (2014 election)



Environmental Capacity

0 % protected or reforested land

⁶ **Coping Capacity (CC)**: An index that measures the systems, means and abilities of a region to absorb and respond to events that could potentially disrupt normal function. Values range from 0-1.



Infrastructure Capacity

	Healthcare Capacity	19.9 # of hospital beds per 10k persons	25.3 # of nurses per 10k persons	20.7 # of physicians per 10k persons
	Communications Capacity	49.1 % households with fixed phone line	90.6 % households with mobile phone	
	Transportation Capacity	134.8 Port/airport density per 10,000 sq km	3,857.2 Road/rail density per 10,000 sq km	

Resilience (R) ⁷

Score = 0.714, Rank = 2 of 25

Resilience is a function of both vulnerability and coping capacity. Callao’s resilience is significantly higher than the national average, and its very high Resilience Score (R = 0.714) is due to its very low vulnerability and very high coping capacity. The region’s baseline indicators suggest a focus for resilience-building efforts. In Callao, the thematic areas with the weakest relative scores are summarized in the table below. Readers can additionally consult Appendix 1 for a comprehensive assessment of its need for specific program types relative to other regions.

Table 5. The top 3 thematic areas with the weakest relative scores.



Population Pressures



Governance



Environmental Capacity

⁷ **Resilience (R)**: An index that offers a hazard-independent measure of current socio-economic conditions affecting the short-term ability to absorb, respond to, and recover from disruptions to a region’s normal function. Values range from 0-1.